

Peter K. Sweeney
ENGINEERING PROGRAM MANAGER
WORLD TRADE CENTER

KLH
/ CHIEF ARCHITECT





The World Trade Center Electrical/HVAC Upgrade Program

ARCHITECTURAL MISCELLANEOUS DETAILS

This drawing subject to conditions in contract.
All inventions, ideas, designs and methods
herein are reserved to Port Authority and
may not be used without its written consent.

Contract Number _____ Drawing Number _____

WTC-802.071 A-39



1. 'J' STUDS OR EQUIVALENT SYSTEM TO PROVIDE CONTINUOUS 2HRS. FIRE RATED ENCLOSURE AROUND DUCTS
2. REMOVE & REPLACE EXIST. CEILING TO MATCH EXISTING.



I HEREBY CERTIFY THAT THIS IS A TRUE AND CORRECT COPY OF ONE OF THE CONTRACT DRAWINGS CONSTITUTING A PART OF CONTRACT NO. WTC-802.071 IN THE FORM IN WHICH SAID DRAWINGS EXISTED AT THE TIME THE SAID CONTRACT WAS EXECUTED BY THE PARTIES.

DATE 6/21/95 Sultan A. Aslan
SPEC. WRITER

DATE 8/15/95 *John K. Sweeney*
ENGINEER OF DESIGN

ENGINEER OF DESIGN